

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



LISTING SERVICE

LISTING No. 8140-2134:0105 Page 1 of 1

CATEGORY: 8140 -- EXTERIOR WALL SIDING AND SHEATHING FOR WILDLAND URBAN INTERFACE (W.U.I)

LISTEE: Boral Composites Inc. 200 Mansell Court East, Suite 305, Roswell, GA 30076
Contact: Aaron Sims (210) 332-8394 Fax (770) 645-2888
Email: aaron.sims@boral.com

DESIGN: Boral TruExterior® Siding in profiles Channel Bevel, V-Rustic, Cove/Dutch, Shiplap and Channel Shiplap. Widths range from 5.5"-11.5" with an actual thickness of 11/16". *Bevel profile in width range of 5.5"-9.25" and thicknesses of 3/4" and 1/2" that taper to 7/16" and 3/16". Refer to the manufacturer's installation instructions and product data sheet.

RATING: 12-7A-1

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes and ordinances and a manner acceptable to the authority having jurisdiction.

MARKING: Listee name, Model number, rating and SFM label.

APPROVAL: Listed as siding material for use in Wildland Urban Interface areas.

*Rev 12-15-15 gt



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other

Date Issued: **July 30, 2018**

Listing Expires **June 30, 2019**

Authorized By: **DAVID CASTILLO, Program Coordinator**
Fire Engineering Division